



WEEK ENDING 2ND AUGUST 2015

KEY POINTS

INFLUENZA AND INFLUENZA-LIKE ILLNESSES (ILI)

Summary: Indicators of influenza activity remain relatively steady, indicating we may be at or near the peak of the influenza season. Non-influenza virus activity continues to decline.

- ILI presentations to sentinel general practitioners (GPs) and emergency departments (EDs) increased slightly this week but appear to have plateaued.
- Influenza virus detections, notifications and percent positivity remain stable. The number and proportion of detections due to influenza B (63%) declined this week, with a relative increase in the proportion of influenza A/H3N2 (31%) cases.
- Hospitalisations with confirmed influenza decreased this week, and are consistent with average levels for this time in recent seasons. The proportion of hospitalisations due to influenza B decreased from 70% to 44% this week, with 56% of admissions now due to influenza A (mostly A/H3N2).
- Non-influenza respiratory virus activity continued to decrease this week.

GASTROENTERITIS

- Gastroenteritis presentations to sentinel GPs and EDs are relatively steady and consistent with levels experienced previously at this time of the year.
- Rotavirus detections increased this week.

VARICELLA AND VIRAL RASHES


- Shingles presentations to sentinel GPs increased above baseline level this week.
- Chickenpox and shingles presentations to sentinel EDs are near or below baseline levels.
- No cases of measles or rubella were confirmed.
- Several further cases of mumps have been confirmed in the Kimberley region, primarily among Aboriginal children, teenagers and young adults. Most recent cases are residents of Broome or nearby communities, with some transmission now also occurring in the Pilbara region.

Current and archived issues of Virus Watch http://www.public.health.wa.gov.au/3/487/3/virus_watch.pm

Virus Watch is a weekly electronic publication by the Communicable Disease Control Directorate (CDCD) and key collaborators. It provides a brief summary of General Practice and Hospital Emergency Department sentinel surveillance data on influenza-like illness, gastroenteritis and varicella-zoster disease, together with relevant laboratory information, to alert health care workers in WA to important circulating viruses. General Practice data are collected by members of the Sentinel Practitioners Network of Western Australia - SPN(WA). Emergency Department data are provided by the Emergency Department Information System (EDIS), which incorporates data from the following hospitals: Fiona Stanley Hospital, Royal Perth Hospital, Princess Margaret Hospital, King Edward Memorial Hospital, Bunbury Hospital, Armadale Hospital, Joondalup Health Campus, Swan District Hospital and Rockingham General Hospital. Viral laboratory data are obtained from PathWest laboratories at QEII Medical Centre and Princess Margaret Hospital for Children, as well as via notification data sent by all WA laboratories to CDCD, WA Department of Health. All figures and data were accurate at time of publication, but subject to change.


Influenza and Influenza-like Illnesses

Sentinel and Routine Influenza and Influenza-like-Illness detections



The rate of ILI seen at sentinel GPs continues to fluctuate between 6-12 ILI per 1,000 consultations. Routine influenza virus detections have plateaued, and sentinel site detections remain relatively steady. Of 580 routinely collected specimens, 115 (20%) tested positive for influenza virus; 71 specimens were collected at sentinel GP sites, 20 (28%) of which tested positive for influenza virus.

Sentinel Practitioner Network of WA - GP surveillance Rate of ILI per 1000 consultations, 2011 - 2015




The rate of ILI presentations to SPN(WA) GPs continues to fluctuate within the level of presentations seen during recent mild seasons.




The following is a summary of current Emergency Department sentinel surveillance (EDSS) data for respiratory viral presentations.

Viral Respiratory ED Presentations and Admissions




Presentations to sentinel EDs increased this week, but admissions remain fairly stable.

ED Respiratory Viral Presentations, 2011 - 2015



The number of respiratory viral infection presentations to sentinel EDs is consistent with recent mild influenza seasons.


Influenza notifications in Western Australia by week, 2011 to 2015



The rate of increase of influenza cases notified to the Department of Health has slowed. A total of 213 cases of influenza were notified to the Department of Health this week.

The graph is a summary of all influenza notifications received by the DoH, Western Australia to the end of the current reporting week, for which cases had date of symptom onset or specimen collection between 27/07/2015 and 02/08/2015.


Number of influenza cases hospitalised



The number of influenza cases hospitalised was lower this week, although this will at least partially reflect a reporting lag. Of these cases 15 (44%) had influenza B – down from previous weeks - 13 (38%) had influenza A/H3N2, and 6 (18%) were influenza A/unsubtyped.




Influenza cases per 1000 hospital admissions



The proportion of hospital admissions notified as having laboratory-confirmed influenza decreased and is below the average rate of hospitalised cases in recent years, although this may at least partially reflect reporting lag for the last week.

The graph is a summary of influenza notifications received by the DoH who were recorded as having a hospital admission, expressed per 1,000 admissions. Data for the current reporting week may be incomplete.


PathWest-QEII-PMH influenza percentage positive 2011-2015



The percentage of specimens tested by PathWest-QEII-PMH positive for influenza virus continues to fluctuate around 20%, suggesting percent positivity has peaked.




PathWest-QEII-PMH 2014-2015 all influenza subtypes



One hundred and twenty eight specimens were subtyped by PathWest, QEII and PMH during this reporting week; 81 (63%) influenza B, 40 (31%) influenza A/H3N2, 5 (4%) influenza A/H1N1, and 2 (2%) influenza A/unsubtyped. In the past fortnight around 65% of the influenza B strains circulating in WA have been Yamagata lineage, matching the trivalent influenza vaccine strain.

The graph is a summary of all samples that have been recorded as subtyped at PathWest QEII as of 12.01am Wednesday 29th July 2015. The number subtyped may not always correspond to the number of influenza detections.


2014-2015 Non-influenza respiratory viruses - QEII and PMH



Non-influenza respiratory virus activity declined this week, primarily due to a drop in respiratory syncytial virus detections.


Gastroenteritis

Gastroenteritis virus detections and GP Presentations



Gastroenteritis presentations to SPN(WA) remain between 3-4 cases per 1,000 consultations. Norovirus activity remains relatively low; rotavirus detections increased this week.


Sentinel Practitioner's Network of WA SPN(WA) - GP surveillance Rate of gastroenteritis per 1000 consultations, 2011 - 2015



The rate of gastroenteritis presentations to sentinel GPs continues to fluctuate within the levels of presentations seen during this time period in recent years.


The following is a summary of current Emergency Department Sentinel Surveillance (EDSS) data for gastroenteritis presentations. Baseline levels for gastroenteritis presentations were calculated using the mean of weekly EDIS data from week 1, 2011 to week 52, 2014.

Gastroenteritis ED Presentations



Gastroenteritis presentations to sentinel EDs remain below baseline level.


ED Gastroenteritis Presentations 2011 - 2015



The number of gastroenteritis presentations to sentinel EDs remains consistent with values seen during this week in recent years.

Viral Rashes

Varicella-Zoster Virus GP Presentations




Shingles presentations to sentinel GPs increased above baseline level; chickenpox presentations are near baseline level. No cases of measles or rubella were notified. Several further cases of mumps have been confirmed as part of the outbreak among Aboriginal children, teenagers and young adults in the Kimberley region, including in Broome, with some transmission now also occurring in the Pilbara region.

Baseline levels for chickenpox and shingles presentations to SPN(WA) GPs per thousand consultations were calculated using the mean of weekly WA ASPREN data from week 1, 2010 to week 52, 2014.

The following is a summary of current Emergency Department sentinel surveillance (EDSS) data for varicella-zoster virus presentations. Baseline levels for varicella-zoster virus presentations were calculated using the mean of weekly EDIS data from week 1, 2010 to week 52, 2014.

Varicella-Zoster virus ED Presentations



Shingles and chickenpox presentations to sentinel EDs are below baseline levels.

